

**PORTAL** Subscribe (Full Service) Register (Limited Service, Free) Login  
 Search: # The ACM Digital Library G The Guide  
 US Patent & Trademark Office

**THE ACM DIGITAL LIBRARY** Feedback Report a problem Satisfaction survey

Terms used extensible tier framework

Sort results by relevance ☐ Save results to a Binder ☐ Try an Advanced Search ☐  
 Display results expanded form ☐ Search Tips ☐ Try this search in The ACM Guide ☐  
☐ Open results in a new window

Results 21 - 40 of 200 Result page: previous 1 2 3 4 5 6 7 8 9 10 next  
 Best 200 shown

21 **Active network vision and reality: lessons from a capsule-based system**  
 David Wetherall  
 December 1999 **ACM SIGOPS Operating Systems Review, Proceedings of the seventeenth ACM symposium on operating systems principles**, Volume 33 Issue 5

Full text available: pdf(1.67 MB) Additional Information: full citation, abstract, references, citations, index terms

Although active networks have generated much debate in the research community, on the whole there has been little hard evidence to inform this debate. This paper aims to redress the situation by reporting what we have learned by designing, implementing and using the ANTS active network toolkit over the past two years. At this early stage, active networks remain an open research area. However, we believe that we have made substantial progress towards providing a more flexible network layer while ...

22 **DDD papers: Domain driven web development with WebJinn**  
 Sergei Kojarski, David H. Lorenz  
 October 2003 **Companion of the 18th annual ACM SIGPLAN conference on Object-oriented programming, systems, languages, and applications**

Full text available: pdf(296.32 KB) Additional Information: full citation, abstract, references, citations, index terms

Web application development cuts across the HTTP protocol, the client-side presentation language (HTML, XML), the server-side technology (Servlets, JSP, ASP, PHP), and the underlying resource (files, database, information system). Consequently, web development concerns including functionality, presentation, control, and structure cross-cut, leading to tangled and scattered code that is hard to develop, maintain, and reuse. In this paper we analyze the cause, consequence, and remedy for this cross ...

**Keywords:** JSP, adaptability, aspect-oriented programming (AOP), crosscutting concerns, dynamic pages, generative programming, inter-crosscutting, intra-crosscutting, model-view-controller (MVC), reusability, scattering, struts, tangling, web application, web development, web programming

23 **CodeBricks: code fragments as building blocks**  
 Giuseppe Attardi, Antonio Cisternino, Andrew Kennedy  
 June 2003 **Proceedings of the 2003 ACM SIGPLAN workshop on Partial evaluation and semantics-based program manipulation**

Full text available: Additional Information:

http://portalbeta.acm.org/results.cfm?query=%2Bextensible%20%2Btier%20%2Bframework... 12/2/03  
 Results (page 2): +extensible+tier+framework Page 3 of 6

**framework**  
 Kajal T. Claypool, Jing Jin, Elke A. Rundensteiner  
 November 1998 **Proceedings of the 1998 conference of the Centre for Advanced Studies on Collaborative research**

Full text available: pdf(333.22 KB) Additional Information: full citation, abstract, references, index terms

With rapid progress in application development and technologies, there is an increasing need to specify and handle complex schema changes of databases. The existing support for schema evolution in current OODB systems is limited to a pre-defined taxonomy of simple schema evolution operations with fixed semantics. We have proposed an extensible framework for schema transformations to address this open problem. The SERF framework succeeds in giving the user the flexibility to define the sem ...

28 **Migrating E-commerce database applications to an enterprise Java environment**  
 Terence C. Lau, Jianguo Lu, Erik Hedges, Emily Xing  
 November 2001 **Proceedings of the 2001 conference of the Centre for Advanced Studies on Collaborative research**

Full text available: pdf(572.66 KB) Additional Information: full citation, abstract, references, index terms

As technology evolves over time, a common problem is the migration of software applications from one technology base to another. This paper is a practical experience report based on IBM Net.Commerce to WebSphere Commerce Suite (WCS) migration. It identifies the problems and issues in the migration of applications using traditional database access (SQL) to applications using the Enterprise Java Bean (EJB) programming model, and presents a practical methodology in facilitating such migration. It a ...

**Keywords:** E-commerce, JSP, Net.data, SQL, database re-engineering, enterprise Javabeen, migration, relational-object mapping

29 **Web and e-business application: User adaptive content delivery mechanism on the world wide web**  
 Tadashi Nakano, Kaname Harumoto, Shinji Shimojo, Shojiro Nishio  
 March 2002 **Proceedings of the 2002 ACM symposium on Applied computing**

Full text available: pdf(1.00 MB) Additional Information: full citation, abstract, references, index terms

To reduce the user-perceived latency in web content delivery, many techniques have been proposed. One is a transmission time control mechanism that automatically adjusts the quality of inline objects, such as images on a web page, according to the client network bandwidth. Another is a transmission order control mechanism that can transmit inline objects in a specified order preferred by users. In this paper, we describe the development of a user adaptive content delivery mechanism that Integrat ...

**Keywords:** HTTP extension, WWW, content adaptation, content delivery, quality of service, transmission order control, transmission time control, user profile

30 **Tools and approaches for developing data-intensive Web applications: a survey**  
 Piero Fraternali  
 September 1999 **ACM Computing Surveys (CSUR)**, Volume 31 Issue 3

Full text available: pdf(524.80 KB) Additional Information: full citation, abstract, references, citations, index terms

The exponential growth and capillar diffusion of the Web are nurturing a novel generation of applications, characterized by a direct business-to-customer relationship. The development of such applications is a hybrid between traditional IS development and Hypermedia authoring, and challenges the existing tools and approaches for software production. This

http://portalbeta.acm.org/results.cfm?query=%2Bextensible%20%2Btier%20%2Bframework... 12/2/03

pdf(204.34 KB) full citation, abstract, references, index terms

We present a framework for code generation that allows programs to manipulate and generate code at the source level while the joining and splicing of executable code is carried out automatically at the intermediate code/VM level. The framework introduces a data type Code to represent code fragments: methods/operators from this class are used to reify a method from a class, producing its representation as an object of type Code. Code objects can be combined by partial application to other Code ob ...

**Keywords:** domain specific language, generative programming, metaprogramming, multistage programming, program generation, program transformation, reflection

24 **Component framework infrastructure for virtual environments**  
 Manuel Oliveira, Jon Crowcroft, Mel Slater  
 September 2000 **Proceedings of the third international conference on Collaborative virtual environments**

Full text available: pdf(1.14 MB) Additional Information: full citation, abstract, references, citations, index terms

Virtual Environments (VE) present a complex problem with interesting non-trivial challenges for system development, in particular when the VE is distributed and shared amongst multiple participants. Most problems are common to any VE system, however the development effort is replicated because current systems are neither evolutionary nor allow integration of code across different systems. This paper presents the Java Adaptive Dynamic Environment (JADE), which consists of a light- ...

**Keywords:** components, framework, java, virtual environments, virtual reality, vrtp

25 **An architecture for heterogeneous groupware applications**  
 Ivan Marsic  
 July 2001 **Proceedings of the 23rd international conference on Software engineering**

Full text available: pdf(1.13 MB) Additional Information: full citation, abstract, references, citations, index terms

The proliferation of wireless networks and small portable computing devices raises the need for applications that are adaptable to heterogeneous computing and communication environments and the contexts in which they are used. However, most current groupware systems as well as other software applications are not well prepared to handle the heterogeneity. The Manifold framework presented here provides a software architecture for synchronous groupware applications to deal with heterogeneity. ...

26 **Architectural framework modeling in telecommunication domain**  
 Giulio Fregonese, Alessandro Zorer, Giovanni Cortese  
 May 1999 **Proceedings of the 21st international conference on Software engineering**

Full text available: pdf(1.12 MB) Additional Information: full citation, references, citations, index terms

**Keywords:** architectural patterns, design patterns, distributed systems, domain analysis, network and service management, network traffic data analysis, object-oriented framework, software architecture, software reuse

27 **QOL\_SERF: an ODMG implementation of the template-based schema evolution**

http://portalbeta.acm.org/results.cfm?query=%2Bextensible%20%2Btier%20%2Bframework... 12/2/03  
 Results (page 2): +extensible+tier+framework Page 4 of 6

paper investigates the current situation of Web development tools, both in the commercial and research fields, by identifying and characterizing ...

**Keywords:** HTML, Intranet, WWW, application, development

31 **Help design challenges in network computing**  
 Ben Gelernter  
 September 1998 **Proceedings of the 16th annual international conference on Computer documentation**

Full text available: pdf(1.12 MB) Additional Information: full citation, references, index terms

**Keywords:** documentation, help, information architecture, network computing, network computing architecture, online help, thin clients, user assistance

32 **Exception handling in large Ada systems**  
 C. Howell, D. Mularz  
 June 1991 **Proceedings of the eighth annual Washington Ada symposium & summer SIGAda meeting on Ada: software: foundation for competitiveness**

Full text available: pdf(1.37 MB) Additional Information: full citation, references, citations, index terms

33 **Industry track papers and presentations: technology trends. Building enterprise portals: principles to practice**  
 Tushar K. Hazra  
 May 2002 **Proceedings of the 24th international conference on Software engineering**

Full text available: pdf(1.85 MB) Additional Information: full citation, abstract, references, index terms

Primary objective of this paper is to offer an exclusive view of constructing and deploying enterprise portals by using a component-based development approach. As the dot-com hype dies down, most companies are forced to revisit their enterprise-wide Web integration strategies. This paper offers a pragmatic roadmap that these companies may follow in their upcoming enterprise portal deployment initiatives. The academic world plays a significant role in the advances of the portal technology. In this ...

34 **Visual models of plants interacting with their environment**  
 Radomir Měch, Przemysław Pruskiwicz  
 August 1998 **Proceedings of the 23rd annual conference on Computer graphics and interactive techniques**

Full text available: pdf(1.40 MB) Additional Information: full citation, references, citations, index terms

**Keywords:** L-system, clonal plant, ecosystem, modeling, plant development, realistic image synthesis, root, scientific visualization, simulation, software design, tree

35 **4a—Adaptive Hypertext: Personally tailored teaching in WHURLE using conditional transclusion**  
 Adam Moore, Timothy J. Brailsford, Craig D. Stewart  
 September 2001 **Proceedings of the twelfth ACM conference on Hypertext and Hypermedia**

http://portalbeta.acm.org/results.cfm?query=%2Bextensible%20%2Btier%20%2Bframework... 12/2/03

Full text available: pdf(90.75 KB) Additional information: full citation, abstract, references, citations, index terms

The emergence of Technology Based Learning has generated a number of pedagogic problems related to learner diversity.. In this paper we present an interim snapshot of a prototype XSLT / XML hypermedia learning environment able to respond adaptively to individual learner profiles using conditional transclusion.

**Keywords:** XML, XSLT, adaptive hypermedia, learning environment, transclusion

### 36 Technical opinion: Component-based data mining frameworks

Fernando Berzal, Ignacio Blanco, Juan-Carlos Cubero, Nicolas Marin  
December 2002 *Communications of the ACM*, Volume 45 Issue 12

Full text available: pdf(110.82 KB) html(18.89 KB) Additional information: full citation, abstract, references, index terms

OLAP Vs. OLTP In the middle tier.

### 37 Web and e-business application: A framework for automatic generation of web-based data entry applications based on XML

Volker Turau  
March 2002 *Proceedings of the 2002 ACM symposium on Applied computing*

Full text available: pdf(635.47 KB) Additional information: full citation, abstract, references, index terms

This paper presents a framework for web-based data entry applications. It introduces a method for the conceptual and the navigational design based on a textual specification in the form of an XML-application. This forms the input to a code generation environment allowing for real automated prototyping. The environment produces fully functional skeletons for the web pages. Together with the framework classes they can be utilized for testing and for requirements review. They also form the start ...

**Keywords:** automated prototyping, frameworks, web-based data entry

### 38 Fast detection of communication patterns in distributed executions

Thomas Kunz, Michiel F. H. Seuren  
November 1997 *Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research*

Full text available: pdf(4.21 MB) Additional information: full citation, abstract, references, index terms

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Post, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

### 39 Polymorphic time systems for estimating program complexity

Vincent Dornic, Pierre Jouvelot, David K. Gifford  
March 1992 *ACM Letters on Programming Languages and Systems (LOPLAS)*, Volume 1 Issue 1

Full text available: pdf(807.35 KB) Additional information: full citation, abstract, references, citations, index terms

We present a new approach to static program analysis that permits each expression in a program to be assigned an execution time estimate. Our approach uses a time system in conjunction with a conventional type system to compute both the type and the time of an expression. The time of an expression is either an integer upper bound on the number of ticks the expression will execute, or the distinguished element long that indicates that the expression contains ...

**Keywords:** complexity analysis, effect systems, fixpoint operator, polymorphic typed language, time and type checker, time system, type systems

### 40 A widely deployable Web-based network simulation framework using CORBA IDL-based APIs

Arjun Chokkar, Philip Koopman  
December 1999 *Proceedings of the 31st conference on Winter simulation: Simulation---a bridge to the future - Volume 2*

Full text available: pdf(180.89 KB) Additional information: full citation, references, citations, index terms

Results 21 - 40 of 200

Result page: [previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2003 ACM, Inc.  
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: Adobe Acrobat QuickTime Windows Media Player Real Player

**CiteSeer**

Find: tier framework

Documents

Citations

Searching for PHRASE tier framework.

Restrict to: Header Title Order by: Citations Hubs Usage Date Try: Amazon B&N Google (RI) Google (Web) CSB DBLP

4 documents found. Order: citations weighted by year.

Syntagmatic and Paradigmatic Representations of Term... - Christian Jacquemin... (1999) (Correct) (4 citations)  
et al. (1998) Terms are described in a two-tier framework composed of a paradigmatic level and a  
www.limsi.fr/individu/jacquemi/FTP/jacmin-ACL99.ps.gz

DOVE: Distributed Objects based scientific Visualization... - Abbott, Jain (1998) (Correct) (2 citations)  
working applications. 1 2 Distributed, Three-tier Framework for Scientific Visualization 2.1 Example Data  
2.2 Architectural Design We have a three-tier framework with the client visualization components in  
www.cs.ucsb.edu/conferences/java98/papers/dove.pdf

VerDe entlicht in... Acm Symposium On (Correct)  
the layout. In this paper we present a three-tier framework called Wizard for web-based data entry  
www.informatik.fh-wiesbaden.de/~tunau/ps/sac02.ps

Syntagmatic and Paradigmatic Representations of Term... - Linné-Chris Bp Orsay (Correct)  
et al. (1998) Terms are described in a two-tier framework composed of a paradigmatic level and a  
acl.kic.upenn.edu/P/P99/P99-1044.pdf

Try your query at: Amazon Barnes & Noble Google (RI) Google (Web) CSB DBLP

CiteSeer - [citeseer.org](http://citeseer.org) - [Terms of Service](#) - [Privacy Policy](#) - Copyright © 1997-2002 NEC Research Institute

**YAHOO! search** Search Home - Yahoo! - Help

Your Search:

TOP 20 WEB RESULTS out of about 1,990 (What's this?)

- gavinjoyce.com :: web systems, services and components**   
... Rapid N-Tier Development: ... The .NET N-Tier Framework Generator is the best tool in my toolbox when it comes to .NET application architecture. ...  
www.gavinjoyce.com - 12k - Cached
- Trigent Outsourced Software Services & Solutions: "Insights" ...**   
... independence, and application and component-level reusability ... Business tier development and testing could proceed ... many properties associated with the framework ...  
www.trigent.com/news/insights.htm - 31k - Cached
- customer story (PDF)**   
... phases of the project and a framework which was proven in n-tier development. ... A framework component is used to retrieve the connection string from the database ...  
www.pygmalion.com/consulting/south\_lanark.pdf - View as html
- TechWeb > News > Java Goes Upscale > September 28, 1998**   
... will move its San Francisco Java business-component framework further up ... computer giant consolidated its disparate middle-tier development technologies under ...  
www.techweb.com/wire/story/TWB1998092850020 - 40k - Cached
- Visual Studio Conference Visual Basic, Visual C++, SQL Server ...**   
... Visual Studio .NET Jay Schmetzer, Microsoft Multi-tier development is an essential component for today ... Studio .NET 's rich set of framework components at ...  
www.ftponline.com/conferences/vsliver/2003/orchhelday.asp - 26k - Cached - More pages from this site
- Java Goes Upscale**   
... will move its San Francisco Java business component framework farther up ... Last week, IBM consolidated its disparate middle-tier development technologies under ...  
www.internetwork.com/news/0998/news092898-1.htm - 35k - Cached
- DotNetInfoWire.com - The online resource for Microsoft .NET ...**   
... Database driven grid component based on ASP and DHTML behaviors. Added on: 10/15/2002.  
NET N-Tier Framework Generator (version 1.0) Rapid N-Tier Development ...  
dotnetinfowire.com/product\_list.asp - 27k - Cached - More pages from this site
- Amazon.com: Books: Developing Enterprise Applications - An ...**   
... the architectural reasoning behind each framework component decision and ... The concepts of the framework were useful to ... Topical N-Tier Development, May 25, 2000, ...  
www.amazon.com/exec/obidos/tg/detail/-/0789722690/vglance - 62k - Cached -

http://search.yahoo.com/search?p=%22tier+development%22+framework+component+&ei=... 12/2/03  
Yahoo! Search Results for "tier development" framework component

Page 3 of 3

- model extends those ... languages on the proven, standard CORBA framework. ...  
www.omg.org/news/pr99/02a.html - 15k - Cached
- Teaching an Old Mainframe New Tricks, by Liz Gaertner, Industry ...**   
... To implement an application with a three-tier development model, the developer ... Within the Assembly Framework component resides class method support for access ...  
www.datamation.co.uk/samples/edn/vol4/e409sp2.html - 14k - Cached
  - N-Tier - Microsoft Links Index**   
... E-Business - Microsoft Makes Big Investment in Latest XML Framework. ... Migrating Existing Information Systems To Component Architectures. ... N-Tier Development Model. ...  
n-tier.com/links/Microsoft.html - 29k - Cached - More pages from this site
  - C# Tutorials**   
... N-Tier Development with Microsoft .NET - Part 1 The purpose ... Accessing COM+ component in C# This article explains ... in built mechanism in .NET framework to detect ...  
www.c-sharpcorner.com/Tutorials.asp - 67k - Cached

Results Page:  
1 2 3 4 5 6 7 8 9 10 Next

Your Search:

Copyright © 2003 Yahoo! Inc. All rights reserved. Privacy Policy - Terms of Service - Ad Feedback  
Search Technology provided by Google

More pages from this site

- The Book of VS.NET -- Table of Contents**   
... Scalability Business Rules N-Tier Development Dividing Business ... Blocks Full Name  
Example Component Summary Chapter 4: The .NET Framework The Common ...  
www.nostarch.com/vadotnet\_toc.htm - 24k - Cached
- FindTutorials - Visual Basic 6 Application Development Part 4 - ...**   
... The Microsoft Solutions Framework (MSF) Application Model we referred ... for transactions, and a unifying component model ... So, for 3-tier development in a Windows 9x ...  
tutorials.findtutorials.com/read/197 - 50k - Cached - More pages from this site
- ADVISOR® CORBA 3.0 Spec Approved - - ADVISOR.com - -**   
... benefits of simplified, scalable, multi-tier development provided by ... Now, the CORBA component model extends ... languages on the proven, standard CORBA framework. ...  
doc.advisor.com/doc/05459
- Microsoft Case Studies: OM**   
... be successful, OM needed to go with technology and component development models ... The .NET Framework was used as the middle tier development environment for ...  
www.microsoft.com/resources/casestudies/CaseStudy.asp?CaseStudyID=14136 - 28k - Cached - More pages from this site
- Component Computing (PDF)**   
... Three-tier development has become the province of object ... web service platforms around Microsoft's .Net framework. ... A UGUST 2001 15 Component Computing Using ...  
www.appdevadviser.co.uk/Downloads/ade5\_6/SpinningANew5\_6.pdf - View as html - More pages from this site
- Is Windows Server 2003 an Application Server?**   
... Although component-based and three-tier development practices have ... that a message from one component to another ... additional software such as the .NET Framework ...  
www.directionsonmicrosoft.com/sample/DOMIS/research/2002/12dec/1202wiaas.htm - 22k - Cached
- Software - DotNet Zone - DNzone.com**   
... the Framework components and every component written for ... presents information on the .NET framework that is ... and SQL Code Generator for multi-tier development. ...  
www.dnzone.com/index.asp?Typeld=23 - 55k - Cached
- Quilogy - Course Description**   
... It will also introduce multi-tier development to ensure that ... module will discuss the integration of Component Services with the .NET Framework and how ...  
www.quilogy.com/page.aspx?page=105&course\_no=1398 - 35k - Cached
- OMG's Press Releases 1999**   
... of simplified, scalable, multi-tier development provided by the ... Now, the CORBA component

http://search.yahoo.com/search?p=%22tier+development%22+framework+component+&ei=... 12/2/03

## 3- and n-Tier Architectures

### Contents

- Introduction
- Why 3-tier
- What is 3-tier-architecture
- Advantages
- Critical Success Factors

### Introduction

Through the appearance of Local-Area-Networks, PCs came out of their isolation, and were soon not only being connected mutually but also to servers. Client/Server-computing was born.

Servers today are mainly file and database servers; application servers are the exception. However, database-servers only offer data on the server, consequently the application intelligence must be implemented on the PC (client). Since there are only the architecturally tiered data server and client, this is called 2-tier architecture. This model is still predominant today, and is actually the opposite of its popular terminal based predecessor that had its entire intelligence on the host system.

One reason why the 2-tier model is so widespread, is because of the quality of the tools and middleware that have been most commonly used since the 90's: Remote-SQL, ODBC, relatively inexpensive and well integrated PC-tools (like Visual Basic, Power-Builder, MS Access, 4-GIL-Tools by the DBMS manufactures). In comparison the server side uses relatively expensive tools. In addition the PC-based tools show good Rapid-Application-Development (RAD) qualities i.e. that simpler applications can be produced in a comparatively short time. The 2-tier model is the logical consequence of the RAD-tools' popularity: for many managers it was and is simpler to attempt to achieve efficiency in software development using tools, than to choose the steep and stony path of "brainware".


### Why 3-tier?

Unfortunately the 2-tier model shows striking weaknesses, that make the development and maintenance of such applications much more expensive.

- The complete development accumulates on the PC. The PC processes and presents information which leads to monolithic applications that are expensive to maintain. That's why it's called a "fat client".
- In a 2-tier architecture, business-logic is implemented on the PC. Even the business-logic never makes direct use of the windowing-system, programmers have to be trained for the complex API under Windows.
- Windows 3.X and Mac-systems have tough resource restrictions. For this reason applications programmers also have to be well trained in systems technology, so that they can optimize scarce resources.
- Increased network load: since the actual processing of the data takes place on the remote client, the data has to be transported over the network. As a rule this leads to increased network stress.

<http://www.corba.ch/e/3tier.html>  
3-Tier Architectures

12/2/03  
Page 3 of 6



### Client-tier

Is responsible for the presentation of data, receiving user events and controlling the user interface. The actual business logic (e.g. calculating added value tax) has been moved to an application-server. Today, Java-applets offer an alternative to traditionally written PC-applications. See our Internet-page for further information.

### Application-server-tier

This tier is new, i.e. it isn't present in 2-tier architecture in this explicit form. Business-objects that implement the business rules "live" here, and are available to the client-tier. This level now forms the central key to solving 2-tier problems. This tier protects the data from direct access by the clients.

The object oriented analysis "OOA", on which many books have been written, aims in this tier: to record and abstract business processes in business-objects. This way it is possible to map out the applications-server-tier directly from the CASE-tools that support OOA.

Furthermore, the term "component" is also to be found here. Today the term pre-dominantly describes visual components on the client-side. In the non-visual area of the system, components on the server-side can be defined as configurable objects, which can be put together to form new application processes.

### Data-server-tier

<http://www.corba.ch/e/3tier.html>

12/2/03

- How to conduct transactions is controlled by the client. Advanced techniques like two-phase-committing can't be run.
- PCs are considered to be "untrusted" in terms of security, i.e. they are relatively easy to crack. Nevertheless, sensitive data is transferred to the PC, for lack of an alternative.
- Data is only "offered" on the server, not processed. Stored-procedures are a form of assistance given by the database provider. But they have a limited application field and a proprietary nature.
- Application logic can't be reused because it is bound to an individual PC-program.
- The influences on change-management are drastic: due to changes in business politics or law (e.g. changes in VAT computation) processes have to be changed. Thus possibly dozens of PC-programs have to be adapted because the same logic has been implemented numerous times. It is then obvious that in turn each of these programs have to undergo quality control, because all programs are expected to generate the same results again.
- The 2-tier-model implies a complicated software-distribution-procedure: as all of the application logic is executed on the PC, all those machines (maybe thousands) have to be updated in case of a new release. This can be very expensive, complicated, prone to error and time consuming. Distribution procedures include the distribution over networks (perhaps of large files) or the production of an adequate media like floppies or CDs. Once it arrives at the user's desk, the software first has to be installed and tested for correct execution. Due to the distributed character of such an update procedure, system management cannot guarantee that all clients work on the correct copy of the program.

3- and n-tier architectures endeavour to solve these problems. This goal is achieved primarily by moving the application logic from the client back to the server.

### What is 3- and n-tier architecture?

From here on we will only refer to 3-tier architecture, that is to say, *at least* 3-tier architecture.

The following diagram shows a simplified form of reference-architecture, though in principal, all possibilities are illustrated.

<http://www.corba.ch/e/3tier.html>  
3-Tier Architectures

12/2/03  
Page 4 of 6

This tier is responsible for data storage. Besides the widespread relational database systems, existing legacy systems databases are often reused here.

It is important to note that boundaries between tiers are logical. It is quite easily possible to run all three tiers on one and the same (physical) machine. The main importance is that the system is neatly structured, and that there is a well planned definition of the software boundaries between the different tiers.

### The advantages of 3-tier architecture

As previously mentioned 3-tier architecture solves a number of problems that are inherent to 2-tier architectures. Naturally it also causes new problems, but these are outweighed by the advantages.

- Clear separation of user-interface-control and data presentation from application-logic. Through this separation more clients are able to have access to a wide variety of server applications. The two main advantages for client-applications are clear: quicker development through the reuse of pre-built business-logic components and a shorter test phase, because the server-components have already been tested.
- Re-definition of the storage strategy won't influence the clients. RDBMS' offer a certain independence from storage details for the clients. However, cases like changing table attributes make it necessary to adapt the client's application. In the future, even radical changes, like let's say switching from an RDBMS to an OODB, won't influence the client. In well designed systems, the client still accesses data over a stable and well designed interface which encapsulates all the storage details.
- Business-objects and data storage should be brought as close together as possible, ideally they should be together physically on the same server. This way - especially with complex accesses - network load is eliminated. The client only receives the results of a calculation - through the business-object, of course.
- In contrast to the 2-tier model, where only data is accessible to the public, business-objects can place applications-logic or "services" on the net. As an example, an inventory number has a "test-digit", and the calculation of that digit can be made available on the server.
- As a rule servers are "trusted" systems. Their authorization is simpler than that of thousands of "untrusted" client-PCs. Data protection and security is simpler to obtain. Therefore it makes sense to run critical business processes, that work with security sensitive data, on the server.
- Dynamic load balancing: if bottlenecks in terms of performance occur, the server process can be moved to other servers at runtime.
- Change management: of course it's easy - and faster - to exchange a component on the server than to furnish numerous PCs with new program versions. To come back to our VAT example: it is quite easy to run the new version of a tax-object in such a way that the clients automatically work with the version from the exact date that it has to be run. It is, however, compulsory that interfaces remain stable and that old client versions are still compatible. In addition such components require a high standard of quality control. This is because low quality components can, at worst, endanger the functions of a whole set of client applications. At best, they will still irritate the systems operator.
- As shown on the diagram, it is relatively simple to use wrapping techniques in 3-tier architecture. As implementation changes are transparent from the viewpoint of the object's client, a forward

<http://www.corba.ch/e/3tier.html>

12/2/03

strategy can be developed to replace legacy system smoothly. First, define the object's interface. However, the functionality is not newly implemented but reused from an existing host application. That is, a request from a client is forwarded to a legacy system and processed and answered there. In a later phase, the old application can be replaced by a modern solution. If it is possible to leave the business object's interfaces unchanged, the client application remains unaffected. A requirement for wrapping is, however, that a procedure interface in the old application remains existent. It isn't possible for a business object to emulate a terminal. It is also important for the project planner to be aware that the implementation of wrapping objects can be very complex.

## Critical Success Factors

### System interface

In reality the boundaries between tiers are represented by object interfaces. Due to their importance they have to be very carefully designed, because their stability is crucial to the maintenance of the system, and for the reuse of components.

Architecture can be defined as the sum of important long-term system interfaces. They include basic system services as well as object-meta-information. In distributed object systems, the architecture is of great importance. The architecture document is a reference guideline to which all the developers and users must adhere. If not, an expensive and time-consuming chaos results.

### Security

Here we are dealing with distributed systems, so data-protection and access control is the important thing. For the CORBA-standard, OMG completed the security.service in different versions in 1995. In the simplest form (level "0") authentication, authorization and encryption are guaranteed by Netscape's secure-socket-layer protocol. Level 1 provides authentication control for security unaware applications. Level 2 is much more fine-grained. Each message invocation can be checked against an access control list, but programming by the ORB user is required. There are implementations for all levels available today.

### Transactions

For high availability, in spite of fast processing, transaction mechanisms have to be used. Standardised OMG interfaces are also present here, and many implementations have been done. The standard defines interfaces to two-phase-commit and offers new concepts like nested transactions.

### Technical infrastructure

There are currently numerous strategies to realise 3-tier architecture. d-tec GmbH sees distributed object systems, with CORBA in the lead, as the most efficient concept currently available. It connects the object oriented paradigm (which proved itself by abstracting complex systems) to tried and trusted communication technologies like TCP/IP. In addition to basic functions CORBA offers a multitude of useful and complementing services.

In order to cover these points and to adjust them, it is necessary to have competent personnel, who's aim

is to develop systems architecture that is tailor-made and has load capacity. Tool usage should be kept at a minimum. Not only is it important that the functionality and performance requirements of the new applications system are met, but - as a whole - also the aspects of change-management, system-management, the interoperability between components and security. For the realisation of a distributed system, all parties involved have to meet, the systems engineer, the applications developers, the operators and the management. The scale of efficiency isn't based on a short-term focused, tools-based approach with a questionable long-term result. The pay-back is in the long run with low maintenance cost through better designed systems.

Google

[Advanced Search](#) [Preferences](#) [Language Tools](#) [Search Tips](#)  
 

Web · Images · Groups · Directory · News ·  
 Searched the web for design "tier architecture" 1998. Results 1 - 10 of about 7,560. Search took 0.17 seconds.

**N-Tier - Architecture Links Index**

... An n-tier Architecture. ... Architectural Digest - Learning Curve - CIO Magazine January 15 1998. ... Objects and Components Architecture and Design General Information. ... n-tier.com/links/Architecture.html - 22k - [Cached](#) - [Similar pages](#)

**Systems Design Issues Three Tier Architecture Multi-tiered ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
 ... Issues October 21, 1998 Copyright © 1998. Jeffrey Blessing ... far, domain issues have driven design v Today ... the complexity 2 Three Tier Architecture Record sales ... people.msoe.edu/~blessing/cs489/cs489-17ch22.pdf - [Similar pages](#)

**Design of an Interoperable FT-CORBA Compliant Infrastructure - ...**

... A three tier architecture separates the ... C. Marchetti, A. Virgillito, and R. Baldoni, Design of an ... 1998 SS Building Reliable Distributed Systems with CORBA ... citeseer.nj.nec.com/marchetti01design.html - 22k - [Cached](#) - [Similar pages](#)

**User-Interface Tier**

File Format: Microsoft Word 97 - [View as HTML](#)  
 ... process involves two-tier or multi-tier information exchange [Hunter & Grawford, 1998]. In this thesis, a 3-tier architecture was used in the design of the CBR ... www.karlbranting.net/papers/xijun.wang/chapt3.doc - [Similar pages](#)

**Resume of : WAYNE ESSEL**

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
 ... database design and implementation, object oriented design, n-tier architecture, user interface ... Application Developer / Team Member Nov 1998 - May 1999 Worked ... www.wayneessel.com/docs/RESUME2003\_shortform.pdf - [Similar pages](#)

**Helps you create a resume tailored to your experience**

File Format: Microsoft Word 2000 - [View as HTML](#)  
 ... database design and implementation, object oriented design, n-tier architecture, user interface ... Application Developer / Team Member Nov 1998 - May 1999 ... www.wayneessel.com/docs/RESUME2003\_shortform.doc - [Similar pages](#)  
[\[ More results from www.wayneessel.com \]](#)

**XXIV. Interface Objects XXIV. Interface Objects The Three-Tier...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
 ... The three-tier architecture separates cleanly user interfaces from ... Oriented Systems Analysis and Design Using UML. ... Larman C (1998) Applying UML and Patterns. ... www.cs.toronto.edu/~jmv340S/PDF21ObjDes2.pdf - [Similar pages](#)

**Slideshow V-MERE**

File Format: Microsoft Powerpoint 97 - [View as HTML](#)  
 ... Reason 3: A Big Step Towards Multi-Tier Architecture ... (c) 1998 Oak Leaf Enterprises Solution Design, Inc. Two Tier System Architecture: Monolithic. ... portal.dtpug.de/dtpug/Dokumente/Konferenzen/VFP-Konferenz201999/Begleitdateien/V-MERE.PPT - [Similar pages](#)

<http://www.google.com/search?hl=en&ie=UTF-8&oe=UTF-8&q=design+%22tier+architectu...> 12/2/03

**Multi-tier Internet Architecture with Java, UML and OOA & D**

... The SOAS is based on a n-tier architecture design with client (SPOT ... 3. Design & Analysis. ... Booch, G., Jacobson, I., & Rumbaugh, J. 1998, The Unified Modeling ... www.adass.org/adass/proceedings/adass99/P1-59/ - 13k - [Cached](#) - [Similar pages](#)

**Eldar A. Musayev, Ph.D.**

... 1998-2000, Design, implementation and support for 3-tier architecture based on Java client, dynamic RPC and DCE RPC (IDL) as a middleware with C++/C second tier ... www.eldar.com/eldar/eldar.htm - 22k - [Cached](#) - [Similar pages](#)

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 Next

  [Search within results](#)

Dissatisfied with your search results? [Help us improve.](#)

Get the Google Toolbar:

[Google Home](#) - [Advertise with Us](#) - [Business Solutions](#) - [Services & Tools](#) - [Jobs, Press, & Help](#)

©2003 Google

<http://www.google.com/search?hl=en&ie=UTF-8&oe=UTF-8&q=design+%22tier+architectu...> 12/2/03

CiteSeer Find:

Searching for PHRASE Intercept tier.  
Restrict to: Header Title Order by: Citations Hubs Usage Date Try: Amazon B&N Google (RI) Google (Web) CSB DBLP  
No documents match Boolean query. Trying non-Boolean relevance query.  
1000 documents found. Only retrieving 250 documents (System busy - maximum reduced). Retrieving documents... Order: relevance to query.

A Comparison Study of the Two-Tier and the Single-Tier Personal... Lin (1999) (Correct) (1 citation)  
1 A Comparison Study of the Two-Tier and the Single-Tier Personal Communications  
Email: liny@csie.ncu.edu.tw Abstract A two-tier PCS system integrates the high tier PCS system and  
lmy.cale.ncu.edu.tw/w98a.ps

Performance Modeling of Multi-Tier PCS System - Yi-Bing Lin (Correct) (3 citations)  
Performance Modeling of Multi-Tier PCS System Yi-Bing Lin, U Fung Chang, and  
Noepel Belfiore Abstract The emergence of multi-tier wireless access is being driven by the different  
service in different environments. Three major tiers of wireless access are likely to emerge to  
lmy.cale.ncu.edu.tw/w98a.ps

Overlaid Cellular System Design with Cell Selection... Annelagen, Katzein (Correct)  
In this paper, a cellular system consisting of two tiers with macrocell in the lower-tier and multiple  
consisting of two tiers with microcell in the lower-tier and multiple levels of (macro)cells in the  
and multiple levels of (macro)cells in the upper-tier, is considered to separately serve mobiles with  
www.comm.toronto.edu/~irena/papers/alagan.ps

Number Theoretic Solutions to Intercept Time Problems - Clarkson, Perkins, Mareels (Correct)  
Number Theoretic Solutions to Intercept Time Problems I. V. L. Clarkson, J. E. Perkins  
two periodic pulse trains. We show that the first intercept time of two pulse trains started in phase is a  
www.crsys.anu.edu.au/PTP/Papers/.Papers/CPM96.ps.gz

A Programming Methodology for Dual-Tier Multicomputers... Scott Baden University (1999) (Correct) (5 citations)  
a multi-protocol message passing layer that intercepts on-node messages through fast shared memory  
overhead message passing on an SMP cluster, that intercepts on-node communication efficiently through  
Engineering. A Programming Methodology for Dual-Tier Multicomputers Scott B. Baden University of  
p.cs.ucsd.edu/pub/scg/papers/1999/k2-se99.ps.gz

Consistency of Periodic Transcriptions: Labelling Experiments... Revell (1996) (Correct) (1 citation)  
f the labelling system 3 2.1 The functional tier  
3 2.2 The tone tier  
3 2.3 The break index tier  
www.ims.uni-stuttgart.de/projekte/verbimobil/vm-reports/report-155-96.ps.gz

Programming Model for Block-Structured Scientific Calculations... Fink (1988) (Correct) (2 citations)  
26 1. Single-tier code  
7 2. Multi-tier code  
1 3. Multi-tier code with communication overlap  
p.cs.ucsd.edu/pub/scg/papers/1998/thesis.ps.gz

valuation of Two- and Three-Tier Database Connections... Unglaubein Hillen... (Correct)  
using Java Database Connectivity (JDBC) two-tier and three-tier applications have been developed.  
Database Connectivity (JDBC) two-tier and three-tier applications have been developed. The middle tier  
nSITE.Informatik.RWTH-Aachen.DE/Publications/CEUR-WS/Vol-27/A098.ps

curity Administration for Federations, Warehouses, and... Arnon Rosenthal (1999) (Correct)  
harder in databases that have multiple tiers of derived data, such as federations, warehouses,  
g security requirements) expressed at each tier must be visible and understood at the other tier.

tier must be visible and understood at the other tier. We describe several use cases in which tiers  
www.cs.bc.edu/~sclere/papers/secadmin.ps

Recycling Decision Trees in Numeric Domains - Kubat (Correct)  
Keywords: decision trees, context, second tier Edited by: Rudi Murn Received: Revised:  
partially be rectified by the use of a cheap second tier implemented as a linear classifier. The transfer of  
context is accomplished by re-inducing the second tier, without the need to re-induce the more expensive  
www.cacs.usi.edu/~mkubat/publications/recycling.ps

The Partitur Format at BAS - Schiel, Burger, Geumann, Weillhammer (1998) (Correct) (7 citations)  
but are time aligned like the individual tiers of a score. Hence this format was called 'BAS'  
to the end of file. It contains the different tiers of the BAS Partitur Format. Each tier is  
different tiers of the BAS Partitur Format. Each tier is identified by a unique label. The order of  
www.phonetik.uni-muenchen.de/Publications/Granada-98-Partitur.ps

Three-Tier Distribution Architecture, Page 1 of 4 - Three-Tier Distribution (Correct)  
three-tier distribution architecture, page 1 of 4 Three-Tier  
distribution architecture, page 1 of 4 Three-Tier Distribution Architecture Robert Hirschfeld  
of components and resources involved. The three-tier distribution architecture describes the  
www.cs.wustl.edu/~schmidt/PLoP-98/hirschfeld.ps.gz

Haskell Server Pages - Functional Programming and the... Meijer, van Velzen (2000) (Correct)  
Programming and the Battle for the Middle Tier Erik Meijer & Danny van Velzen Utrecht University  
web pages and simplify the task of building middle tier components. This article gives an overview of HSP  
applications are often structured using a three-tier model, which consists of: User-Services Tier:  
www.cs.nott.ac.uk/~gmh/papers/3.ps

Performance Modeling of Polling Deregistration for Unlicensed... Anthony Noerpel (1996) (Correct)  
area or the system venue. In the case of a multi-tier implementation the wireless system can relay this  
with the licensed PCS systems such as intermediate tier and high tier microcellular and cellular phone  
PCS systems such as intermediate tier and high tier microcellular and cellular phone networks. In  
lmy.cale.ncu.edu.tw/w98a.ps

Runtime Support for Multi-Tier Programming of Block-Structured... Fink, Baden (1997) (Correct) (6 citations)  
Runtime Support for Multi-Tier Programming of Block-Structured Applications on  
of California, San Diego 1 Introduction Multi-tier parallel computers, such as clusters of symmetric  
for high-performance computing [1] A multi-tier computer, with several levels of locality and  
now.cs.berkeley.edu/clumps/kelp2\_isc97.ps

Integrating Pattern-Based Reasoning in Multimodal Decision... Jack Gelland (Correct)  
trustworthy, Hoyle is organized into the two-tier hierarchy shown in Figure 1. Advisors in tier 1  
two-tier hierarchy shown in Figure 1. Advisors in tier 1 are guaranteed to be correct they perform at  
too is trustworthy. In contrast, the Advisors in tier 2 are heuristic, because either their reasoning  
www.princeton.edu/~jgg/AAAI-multimodal.ps

CORBA Fault-Tolerance: why it does not add up - Frolund, Guerraoui (1999) (Correct) (4 citations)  
reliability and highavailability in three-tier applications. We document issues in using the  
coincides with the emergence of so-called three-tier architectures. These architectures match the  
application servers is an important aspect of three-tier applications. Stateless servers do not have host  
www.hpl.hp.com/personal/Svend\_Frolund/docs/fdc99.ps

On the Use of Genetic Algorithms in Database Client Clustering - Je-Ho Park Vinay (Correct)  
Brooklyn, NY 11201 Abstract In conventional two-tier client-server databases, clients access and modify  
order to overcome this scalability problem, a three-tier client-server configuration has been proposed that  
populations. We compare the performance of the two-tier and three-tier configurations with respect to the  
naxos.poly.edu/~ad/CACHE/C-tai99.PS

First 20 documents Next 20  
Try your query at: Amazon Barnes & Noble Google (RI) Google (Web) CSB DBLP

http://citeseer.nj.nec.com/cs?q=intercept+tier&submit=Search+Documents&cs=1  
Intercept tier - ResearchIndex document query

12/9/03 http://citeseer.nj.nec.com/cs?q=intercept+tier&submit=Search+Documents&cs=1  
Page 3 of 3

12/9/03



Google

Advanced Search Preferences Language Tools Search Tips

forte tier design

Google Search

Web - Images - Groups - Directory - News  
Searched the web for forte tier design.

Results 1 - 10 of about 9,040. Search took 0.28 seconds.

- Forte Systems, Inc. - Software**  
Copyright © 2002 Forte Systems, Inc. All Rights Reserved. ... 2 & 3 tier Design;  
ADO; Btrieve; C++; CASE; CGI; CICS; DAO; DB2; ERwin; Filemaker Pro; FoxPro; ...  
www.forte-systems.com/software.html - 16k - Cached - Similar pages
- Profauna - Kaufen und Gutes tun** - [ Translate this page ]  
... lams, stabheuschrecken, Wissenswerte, zum, Tier, 1st-aga ... Biotin, biotin-forte-tabletten,  
biskuits-& ... Dekorationsmaterial, dermcaps, Design, deutscher-schaeferhund ...  
www.profauna-online.de/ - 15k - Cached - Similar pages
- FINAL COPY Sun Educational Services Course Description Developing ...**  
File Format: PDF/Adobe Acrobat - View as HTML  
... FJ-300: Developing Web Applications and Components Using the Forte(TM) For ... Module  
16 - Understanding Web-Tier Design Options \* Define the role of servlets and ...  
za.sun.com/services/educational/ courseinformation/pdf/fj310.pdf - Similar pages
- SPC SPRINGBOARD- J2EE Application Architecture Design**  
... Transaction guidelines in EJB Tier, Distributed Transactions; ... Patterns & J2EE Blueprints  
: Designing an ATM ... Scalable Internet Architect and Trainer for Forte. ...  
www.spcspringboard.com/Catalog/j2eedesign.htm - 16k - Cached - Similar pages
- Sun Microsystems Nederland - Support & Training - Training - ...**  
... FJ-300: Developing Web Applications and Components Using the Forte(TM) For Java ... and  
Java technology scripts Module 16 - Understanding Web-Tier Design Options; ...  
nl.sun.com/services/education/catalog/java/fj-310.html - 24k - Cached - Similar pages
- Developing J2EE Platform-Compliant Applications Using the Sun ONE ...**  
... with Java Technology; After: FJ-300: Developing Web Applications and Components  
Using the Forte For Java IDE; ... Module 16 - Understanding Web-Tier Design Options. ...  
suned.sun.com/US/catalog/courses/FJ-311.html - 31k - Cached - Similar pages
- Introduction to the Programming Series: Forte for Java, Internet ...**  
File Format: PDF/Adobe Acrobat - View as HTML  
... Design Issues 9 Overview of the Forte for Java Programming Series Application Design  
saues This ... The examples use a basic multi-tier approach, in which a ...  
developers.sun.com/tools/javatools/ documentation/release2/intro.pdf - Similar pages
- Sun Microsystems In Belgium & Luxembourg - Course Details**  
FJ-300: Developing Web Applications and Components Using the Forte(TM) For ... Module 16  
Understanding Web-Tier Design Options: Define the role of servlets and JSP ...  
be.sun.com/services/educational/courses/fj310.html - 21k - Cached - Similar pages
- J-310 Developing J2EE(tm) Compliant Applications**  
FJ-300: Developing Web Applications and Components Using the Forte(tm) For ... Module  
6 - Understanding Web-Tier Design Options: Define the role of servlets and ...  
www.exitcertified.com/courses/sun/fj-310.html - 28k - Cached - Similar pages
- veloping J2EE(tm) Platform-Compliant Applications Using the Sun ...**

http://www.google.com/search?hl=en&ie=UTF-8&oe=UTF-8&q=forte+tier+design

... With Java(tm) Technology; After: FJ-300: Developing Web Applications and Components  
Using the Forte(tm) For ... Module 16 - Understanding Web-Tier Design Options, ...  
eg.sun.com/education/catalog/fj311.html - 28k - Cached - Similar pages

Goooooooooooooogle

Result Page: 1 2 3 4 5 6 7 8 9 10 Next

forte tier design

Google Search

Search within results

Dissatisfied with your search results? Help us improve.

Get the Google Toolbar

Google

Search Web

PageRank

16 blocked

AutoFill

Google Home - Advertise with Us - Business Solutions - Services & Tools - Jobs, Press, & Help

©2003 Google

12/9/03http://www.google.com/search?hl=en&ie=UTF-8&oe=UTF-8&q=forte+tier+design

12/9/03

**BYTE.com****BYTE**  
TALK

ARTICLES BYTEMARKS FACTS HOTBYTES VPR

Search BYTE.com

  
Write to Byte  
Editorial CalendarCategories  
Previous Editions  
Columns  
FeaturesPrint Archives  
1994-1998About Us  
Byte Editorial Staff  
Advertise with Byte  
Privacy PolicyFree E-mail Newsletter from  
BYTE.com☒ Byte.com Update☐ Text only

## New Tools Pump Life into MSF

December 1995 / International News &amp; Views / New Tools Pump Life into MSF

*Rainer Mauth*

Microsoft Solution Framework (MSF) is the company's answer to the requirements of large-enterprise computing. It's a reference guide to three-tier client/server development and a concept of building distributed applications using OLE controls. Until now, MSF has been a framework without concrete design rules and basic components. This situation is changing now that vendors are starting to build enterprise applications based on Windows NT and Windows 95.

"MSF doesn't unveil how to implement business processes or how to design components," says Michael Engel, product manager at Siemens Nixdorf, Inc.'s (SNI) applications software unit (Paderborn, Germany). "However, in the real world, developers need design standards." SNI is now porting its business management platform Alx-Comet from its proprietary and Unix systems to Windows NT.

To implement the Alx-Comet business model, the company had to render the MSF skeleton. "Our goal was to create a cookbook for developers rather than a framework," explains Engel. SNI designed a library of OLE automation components for Visual Basic 4.0, including a code generator and a data dictionary.

The new SNI environment, code-named Merlin, allows developers to create a Visual Basic code skeleton with standardized event and error handling, user-interface (UI) properties, and Open Database Connectivity (ODBC). Thus, they can focus on implementing their business

models. Merlin contains reference code and specifies how to tie UIs and underlying data services to a business management layer.

Beyond third-party developers of Alx-Comet branch solutions, Merlin will also be available to others. Microsoft plans to establish the SNI architecture as a standard for building large-scale business applications under Windows and to sell it with MSF.

On the data-modeling side, there is another approach to give more life to MSF. Select Software Tools' (Cheltenham, U.K.) new rapid application development (RAD) tool, Select Enterprise for Visual Basic, combines Rumbaugh/OMT modeling and Jacobsen case techniques with OLE 2.0 and remote automation to design MSF-compatible client/server architectures. Select product manager Edward Holt says the modeling tool adds greater detail to the architectural and process frameworks of MSF and supports separate object models for each tier of a multitier application. It generates Visual Basic code.

SNI and Select plan to release their tools in the first quarter of next year.

---

## SNI Tools Ease MSF Compatibility

[screen\\_link](#) (51 Kbytes)



*SNI's tools make it easier to develop MSF-compatible client/server applications for large enterprises. The tools automatically generate a Visual Basic code skeleton with event and error handling, UI properties, and database connectivity.*



Up Level



Next



Search



Comment



Subscribe

**BYTE TOP OF PAGE**

Copyright © 2003 CMP Media LLC, Privacy Policy, Terms of Service  
Site comments: [webmaster@byte.com](mailto:webmaster@byte.com)  
SDMG Web Sites: [Byte.com](http://Byte.com), [C/C++ Users Journal](http://C/C++ Users Journal), [Dr. Dobb's Journal](http://Dr. Dobb's Journal), [MSDN Magazine](http://MSDN Magazine), [New Architect](http://New Architect), [SD Expo](http://SD Expo), [SD Magazine](http://SD Magazine), [Sys Admin](http://Sys Admin), [The Perl Journal](http://The Perl Journal), [UnixReview.com](http://UnixReview.com), [Windows Developer Network](http://Windows Developer Network)